MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437

Fax: 24093814 / 24044532 website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8, Near Sion Circle, Sion (E) Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 4559

Date: 06 /11 /2017

OFFICE ORDER NO. E- 93 OF 2017

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of Propose Project for 200 TPD Integrated waste Management facility at Barave, Tal: Kalyan, Dist: Thane Proposed by Deputy Municipal Commissioner (Solid Waste management) Kalyan Dombivli Municipal Corporation, Kalyan, is as below;

- District Magistrate, Thane
 Or his representative not below the
 Rank of an Additional District Magistrate
 Representative of Maharashtra Pollution Control Board
- 2) Regional Officer, Mumbai

Member

Chairman

3) Sub Regional Officer, M. P. C. Board, Kalyan –I Convener will work as:

The Members are requested to make it convenient to attend the Public Hearing dt.08.11.2017 at 02.30 pm. Acharya Atre Hall, Shankarrao Chowk ,kalyan (W), Dist: Thane, Maharashtra, Positively.

(Dr. P. Anbalagan IAS) Member Secretary

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Thane .

Copy to project proponent:

Kalyan- Dombivli Municipal Corporation, Survey No. 58/3, Adharwadi Jail Road, Umberde Gaon, Kalyan (West), Maharashtra

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Kalyan
- 2) Sub Regional Officer, M. P. C. Board, kalyan-I He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai For information & display on website. Soft copy of Executive Summary sent to EIC section.