MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437 Fax: 24093814 / 24044532 website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8, Near Sion Circle, Sion (E) Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 82

Date: 7 /03/2015

OFFICE ORDER NO. E-155 OF 2015

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S. O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of proposed project of expansion of sugar mill capacity from 3500 to 6500 TCD and distillery capacity from 45 KLPD to 90 KLPD proposed by M/s. Daund Sugar Ltd. at Village - Alegaon, Tel. - Daund, Dist. - Pune - 413 801, Maharashtra is as below;

District Magistrate, Pune
 Or his representative not below the
 Rank of an Additional District Magistrate

Chairman

2) Representative of Maharashtra Pollution Control Board

Sub Regional Officer, M. P. C. Board, Pune - I

will work as;

Member, Convener

The Members are requested to make it convenient to attend the Public Hearing dt. 13.03.2015 on 11.00 a.m. at Aleshwar Mangal Karyalaya, M/s. Daund Sugar Ltd. Gat No. 99, Village - Alegaon (Kadamvasti), Tal. - Daund, Dist. - Pune - 413 801, positively,

(Dr. P. Anbalagan _{IAS}) Member Secretary

Copy submitted for Information to:

 The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032

2) The Chairman M. P. C. Board, Mumbai

Copy for Information to: District Collector, Pune

Copy to project proponent:

M/s. Daund Sugar Ltd. Gat No. 99, Village - Alegaon (Kadamvasti), Tal. - Daund, Dist. - Pune - 413 801

Copy for Information & necessary action to:

1) Regional Officer, M. P. C. Board, Pune

 Sub Regional Officer, M. P. C. Board, Pune - I - He is instructed to ensure that the copies are served to all concerned.

 EIC, M. P. C. Board, Mumbai - For information & display on website. – Soft copy of Executive Summary sent to EIC section.